

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S71	2	("6996658").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/10/07 02:56
S72	14	10/152656	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/10/07 02:56
S73	16301	(370/351,389,392).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/10/07 02:56
S74	1076	turn with port same switch and (header preamble)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/10/07 02:56
S75	157	S73 and S74	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/10/07 02:56
S76	2	(turn with port same switch and (header preamble)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/10/07 02:56
S77	0	(turn adj1 (value bit pool byte) with port same switch and (header preamble)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/10/07 02:56
S78	39	(turn adj1 (value bit pool byte) with port same switch and (header preamble))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/10/07 02:56
S79	9	S78 and (@ad<"20020911" @rlad<"20020911")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/10/07 02:56
S80	42	((DAVID) near2 (MAYHEW)).INV.	US-PGPUB; USPAT; USOCR	OR	ON	2010/10/07 02:56
S81	24	((TODD) near2 (COMINS)).INV.	US-PGPUB; USPAT; USOCR	OR	ON	2010/10/07 02:56
S82	18	((LYNNE) near2 (BROCCO)).INV.	US-PGPUB; USPAT; USOCR	OR	ON	2010/10/07 02:56
S83	47	S80 S81 S82	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/10/07 02:56

S84	0	(turn adj1 (value bit pool byte) with count\$2 same port same switch and (header preamble)). ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/10/07 02:56
S85	9	(turn adj1 (value bit pool byte) with count\$2 same port same switch and (header preamble))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/10/07 02:56
S86	6	S83 and S85	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/10/07 02:56
S87	2	(turn adj1 (value bit pool byte) with count\$2 same port same switch and (header preamble)). clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/10/07 02:56
S88	3630	turn adj1 (value bit pool byte)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/10/07 02:56
S89	17	S83 and S88	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/10/07 02:56
S90	129	(turn adj1 (value bit pool byte)). clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/10/07 02:56
S91	10	S83 and S90	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/10/07 02:56
S92	2	10/660188	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/10/07 02:56
S93	0	((turn adj1 (value bit pool byte) with count same port same switch same (header preamble)) same path).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/10/07 02:56
S94	0	((turn adj1 (value bit pool byte)) with count same port same switch same (path adj1 routing))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/10/07 02:56
S95	0	((turn adj1 (value bit pool byte)) same (bit adj1 count) same port same switch same (path adj1 routing))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/10/07 02:56
S96	19	(turn adj1 (value bit pool byte)) same (bit adj1 count)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/10/07 02:56

S97	1	((turn adj1 (value bit pool byte)) same (bit adj1 count)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/10/07 02:56
S98	1	((turn adj1 (value bit pool byte)) same (bit near1 count\$2)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/10/07 02:56
S99	41030	("710").CLAS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/10/07 02:56
S100	17	S78 and S99	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/10/07 02:56
S101	1	turn with count same (plurality adj2 ports) same (input adj1 port) same (output adj1 port)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/10/07 02:56
S102	1	((turn adj1 (value bit pool byte)) with (frame packet)) and (370/352.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/10/07 02:56
S103	12048	(370/351,352).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/10/07 02:56
S104	4	(turn adj1 (value bit)) and S103	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/10/07 02:56
S105	1825	turn adj1 value	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/10/07 02:56
S106	0	(turn adj1 (pool value)) same port same (path adj1 routing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/10/07 02:56
S107	1	(turn adj1 (pool value)) same (path adj1 routing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/10/07 02:56
S108	1	12/336226	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/10/07 02:56
S109	3	(turn adj1 (value bit pool byte) with count\$2 same port same (header preamble))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/10/07 02:56

S110	3	(turn adj1 (value bit pool byte list) with count\$2 same port same (header preamble))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/10/07 02:56
S111	13	(PID (path adj1 identifier)) same (eui (extended adj1 unique adj1 identifier))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/10/07 02:56
S112	0	S111 and (@ad<"20020911" @rlad<"20020911")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/10/07 02:56
S113	0	((path adj1 identifier)) same ((extended adj1 unique adj1 identifier))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/10/07 02:56
S114	5137	((path adj1 identifier))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/10/07 02:56
S115	2005	((path adj1 identifier)) same header	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/10/07 02:56
S116	479	((path adj1 identifier)) same header same switch	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/10/07 02:56
S117	419	S116 and (@ad<"20020911" @rlad<"20020911")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/10/07 02:56
S118	19	((path adj1 identifier)) same header same switch).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/10/07 02:56
S119	17	S118 and (@ad<"20020911" @rlad<"20020911")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/10/07 02:56
S120	0	((path adj1 identifier adj1 index)) same header same switch	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/10/07 02:56
S121	1	((path adj1 identifier adj1 index)) same header	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/10/07 02:56
S122	8	((path adj1 identifier adj1 index))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/10/07 02:56

S123	4	S122 and (@ad<"20020911" @rlad<"20020911")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/10/07 02:56
S124	1	((path adj1 identifier adj1 index)) same (header preamble)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/10/07 02:56
S125	151	((extended adj1 unique adj1 identifier))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/10/07 02:56
S126	16	((extended adj1 unique adj1 identifier)) same header	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/10/07 02:56
S127	2	S126 and (@ad<"20020911" @rlad<"20020911")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/10/07 02:56
S128	8	((path adj1 identifier adj1 index))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/10/07 02:56
S129	4	S128 and (@ad<"20020911" @rlad<"20020911")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/10/07 02:56
S130	2	10/945633	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/10/07 02:56
S131	15	blind adj1 broadcast	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/10/07 02:56
S132	6	S131 and (@ad<"20020911" @rlad<"20020911")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/10/07 02:56
S133	17405	(370/351,389,392,432).OCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/10/07 03:09
S134	1	(turn adj1 (value bit pool byte)) same (bit adj1 count) same multicast\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/10/07 03:10
S135	2	("7646760").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/10/07 03:10

S136	1	((turn adj1 (value bit pool byte) and (370/432.ccls.))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/10/07 03:16
S137	3	S85 and S133	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/10/07 03:17
S138	2	("6996658").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/10/07 03:23
S139	1	S138 and multicast\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/10/07 03:23

EAST Search History (Interference)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S140	1	(turn adj1 (value bit pool byte) with port same switch and (header preamble)).clm.	USPAT; UPAD	OR	ON	2010/10/07 02:56
S141	11	(turn adj1 (value bit pool byte) with port same switch and (header preamble))	USPAT; UPAD	OR	ON	2010/10/07 02:56
S142	0	((turn adj1 (value bit pool byte) with count same port same switch same (header preamble)) same path).clm.	USPAT; UPAD	OR	ON	2010/10/07 02:56
S143	0	((turn adj1 (value bit pool byte)) with count same port same switch same (path adj1 routing)).clm.	USPAT; UPAD	OR	ON	2010/10/07 02:56
S144	0	((turn adj1 (value bit pool byte)) same (bit adj1 count)).clm.	USPAT; UPAD	OR	ON	2010/10/07 02:56
S145	0	((turn adj1 (value bit pool byte)) same (bit near1 count \$2)).clm.	USPAT; UPAD	OR	ON	2010/10/07 02:56
S146	0	turn with count same (plurality adj2 ports) same (input adj1 port) same (output adj1 port).clm.	USPAT; UPAD	OR	ON	2010/10/07 02:56
S147	0	((turn with count) same (plurality adj2 ports) same (input adj1 port) same (output adj1 port)).clm.	USPAT; UPAD	OR	ON	2010/10/07 02:56
S148	0	((turn adj1 (value bit pool byte) with port same switch and (header preamble)) and multi \$1cast\$3).clm.	USPAT; UPAD	OR	ON	2010/10/07 03:13

S149	1	((turn adj1 (value bit pool byte) with port same switch and (header preamble))).clm.	USPAT; UPAD	OR	ON	2010/10/07 03:13
S150	0	((turn adj1 (value bit pool byte)) and (count adj1 (value bit pool byte))).clm.	USPAT; UPAD	OR	ON	2010/10/07 03:22
S151	1	((turn adj1 (value bit pool byte)) and (count near1 (value bit pool byte))).clm.	USPAT; UPAD	OR	ON	2010/10/07 03:22

10/ 7/ 2010 10:50:53 AM**H:\ East\ Workspaces\ 10660188_1.w sp**